

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN LIKELY TO OCCUR IN  
CALHOUN COUNTY FLORIDA

Compiled by U.S. Fish and Wildlife Service, May, 2004

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
<b>FISH:</b>				E
Gulf sturgeon	<i>Acipenser oxyrinchus desotoi</i>	SSC	T CH	ESTUARINE: various MARINE: various habitats RIVERINE: alluvial and blackwater streams
Bluestripe shiner	<i>Cyprinella callitaenica</i>		ce	RIVERINE: alluvial stream
<b>AMPHIBIANS &amp; REPTILES:</b>				
American alligator	<i>Alligator mississippiensis</i>	SSC	T(s/a)	ESTUARINE: marshes, various habitats LACUSTRINE: marshes, swamps, various habitats PALUSTRINE: swamps, floodplains, marshes, various habitats RIVERINE: open water, shorelines, various habitats
Flatwoods salamander	<i>Ambystoma cingulatum</i>	SSC	T	PALUSTRINE: wet flatwoods, dome swamp, basin swamp, ruderal TERRESTRIAL: mesic flatwoods (reproduces in ephemeral wetlands within this community)
Eastern indigo snake	<i>Drymarchon corais couperi</i>	T	T	ESTUARINE: tidal swamp PALUSTRINE: hydric hammock, wet flatwoods TERRESTRIAL: mesic flatwoods, upland pine forest, sandhills, scrub, scrubby flatwoods, rockland hammock, ruderal
Coal skink	<i>Eumeces anthracinus</i>		ce	PALUSTRINE: seepage slope, baygall TERRESTRIAL: upland pine forest, upland hardwood forest, mesic flatwoods
Gopher tortoise	<i>Gopherus polyphemus</i>	SSC	ce	TERRESTRIAL: sandhills, scrub, scrubby flatwoods, xeric hammocks, coastal strand, ruderal
Barbour's map turtle	<i>Graptemys barbouri</i>	SSC	ce	PALUSTRINE: floodplain stream, floodplain swamp RIVERINE: alluvial stream
Alligator snapping turtle	<i>Macrolemys temminckii</i>	SSC	ce	ESTUARINE: tidal marsh LACUSTRINE: river floodplain lake, swamp lake RIVERINE: alluvial stream, blackwater stream
Florida pine snake	<i>Pituophis melanoleucus mugitus</i>	SSC	ce	LACUSTRINE: ruderal, sandhill upland lake TERRESTRIAL: sandhill, scrubby flatwoods, xeric hammock, ruderal
Suwannee cooter	<i>Pseudemys concinna suwanniensis</i>	SSC		RIVERINE: alluvial stream, blackwater stream, spring-fed stream
Gopher frog	<i>Rana capito</i>	SSC	ce	TERRESTRIAL: sandhill, scrub, scrubby flatwoods, xeric hammock (reproduces in ephemeral wetlands within these communities)
<b>BIRDS:</b>				
Limpkin	<i>Aramus guarana</i>	SSC		LACUSTRINE: various PALUSTRINE: various RIVERINE: various
Little blue heron	<i>Egretta caerulea</i>	SSC		ESTUARINE: marshes, shoreline PALUSTRINE: floodplains, swamps RIVERINE: shoreline
Snowy egret	<i>Egretta thula</i>	SSC		ESTUARINE: marshes, tidal swamps, shoreline LACUSTRINE: lake edges PALUSTRINE: swamp, floodplain, ruderal RIVERINE: shoreline
Tricolored heron	<i>Egretta tricolor</i>	SSC		ESTUARINE: marshes, tidal swamps, shoreline LACUSTRINE: lake edges PALUSTRINE: swamp, floodplain, ruderal RIVERINE: shoreline
Arctic peregrine falcon	<i>Falco peregrinus tundrius</i>	E	ce	ESTUARINE: winters along coasts LACUSTRINE: various PALUSTRINE: various TERRESTRIAL: various, ruderal
Southeastern kestrel	<i>Falco sparverius paulus</i>	T	ce	ESTUARINE: various habitats PALUSTRINE: various habitats TERRESTRIAL: open pine forests, clearings, ruderal, various

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN LIKELY TO OCCUR IN  
CALHOUN COUNTY FLORIDA

Compiled by U.S. Fish and Wildlife Service, October, 2003

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
Bald eagle	<i>Haliaeetus leucocephalus</i>	T	T	ESTUARINE: marsh edges, tidal swamp, open water LACUSTRINE: swamp lakes, edges PALUSTRINE: swamp, floodplain RIVERINE: shoreline, open water TERRESTRIAL: pine and hardwood forests, clearings
Wood stork	<i>Mycteria americana</i>	E	E	ESTUARINE: marshes LACUSTRINE: floodplain lakes, marshes (feeding), various PALUSTRINE: marshes, swamps, various
Red-cockaded woodpecker	<i>Picoides borealis</i>	T	E	TERRESTRIAL: mature pine forests
Black Skimmer	<i>Rynchops niger</i>	SSC		ESTUARINE: various LACUSTRINE: various RIVERINE: various TERRESTRIAL: ocean beaches, beach dune, ruderal. Nests common on rooftops.
<b>MAMMALS:</b>				
Southeastern big-eared bat	<i>Plecotus rafinesquii</i>		ce	PALUSTRINE: various, floodplains TERRESTRIAL: pine and hardwood forests, ruderal, various
Florida black bear	<i>Ursus americanus floridanus</i>	T	ce	PALUSTRINE: titi swamps, floodplains TERRESTRIAL: pine and hardwood forests
<b>INVERTEBRATES:</b>				
Southern elktoe (mussel)	<i>Alasmidonta triangulata</i>		ce	RIVERINE: medium-sized creeks to large rivers with sandy mud, sand, and gravel substrates in slow to moderate currents (Panhandle watersheds: Chipola, Apalachicola)
Fat threeridge (mussel)	<i>Amblema neislerii</i>		E	RIVERINE: main channels of small to large rivers; slow to moderate currents; various substrates (Panhandle watersheds: Apalachicola, Chipola)
Apalachicola floater (mussel)	<i>Anodonta heardi</i>		ce	RIVERINE: floodplain lakes and backwater areas of large rivers in muddy substrates (Panhandle watersheds: Apalachicola)
Rayed creekshell (mussel)	<i>Anodontoides radiatus</i>		ce	RIVERINE: Small to medium sized creeks in substrates of mud, sandy mud, or sand and gravel (Panhandle watersheds: Apalachicola, Chipola, Escambia, Choctawhatchee)
Chipola slabshell (mussel)	<i>Elliptio chipolaensis</i>		T	RIVERINE: main channel of the Chipola River and its larger tributaries; prefers muddy sand and sandy clay substrates, but also found in silty sand substrates (Panhandle watersheds: Chipola upstream of Dead Lake)
Purple bankclimber (mussel)	<i>Elliptioideus sloatianus</i>		T	RIVERINE: small to large rivers in slow to moderate currents over sand, sand mixed with mud, or gravel substrates (Panhandle watersheds: Apalachicola, Ochlockonee)
Shinyrayed pocketbook (mussel)	<i>Lampsilis subangulata</i>		E	RIVERINE: medium-sized creeks to mainstem rivers; clean or silty sand substrates, in slow to moderate currents (Panhandle watersheds: Chipola, Ochlockonee upstream of Lake Talquin)
Gulf moccasinshell (mussel)	<i>Medionidus penicillatus</i>		E	RIVERINE: medium-sized creeks to large rivers with sand and gravel substrates in slow to moderate currents (Panhandle watersheds: Chipola, Econfinia Creek)
Oval pigtoe (mussel)	<i>Pleurobema pyriforme</i>		E	RIVERINE: medium-sized creeks to small rivers; various substrates; slow to moderate currents (Panhandle watersheds: Chipola, Econfinia Creek, Ochlockonee)

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN LIKELY TO OCCUR IN  
CALHOUN COUNTY FLORIDA

Compiled by U.S. Fish and Wildlife Service, October, 2003

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
Sculptured pigtoe (mussel)	<i>Quincuncina infucata</i>		ce	RIVERINE: small streams to large rivers in sandy, muddy sand, or fine gravel substrates, pools, and rocky areas with swift current, often under debris (Panhandle watersheds: Apalachicola, Chipola)
Downy rainbow (mussel)	<i>Villosa villosa</i>		ce	RIVERINE: small streams to large rivers in sand or muddy sand substrates (Panhandle watersheds: Apalachicola, Chipola, Escambia, Choctawhatchee, Ochlockonee, Suwannee)
<b>PLANTS:</b>				
Pine-woods aster	<i>Aster spinulosus</i>	E	ce	PALUSTRINE: seepage slope TERRESTRIAL: sandhill, scrubby and mesic flatwoods
Apalachicola wild indigo	<i>Baptisia megacarpa</i>	E		PALUSTRINE: floodplain forest TERRESTRIAL: upland mixed forest, slope forest
Buckthorn	<i>Bumelia lycioides</i>	E		PALUSTRINE: bottomland forest, dome swamp, floodplain forest TERRESTRIAL: upland hardwood forest
Toothed savory	<i>Calamintha dentata</i>		ce	TERRESTRIAL: sandhill, roadsides
Baltzell's sedge	<i>Carex baltzellii</i>	T	ce	TERRESTRIAL: slope forest, moist sandy loam; moist sandy loam
Piedmont jointgrass	<i>Coelorachis tuberculosa</i>		ce	LACUSTRINE: sandhill upland lake margins
Alternate-leaf or pagoda dogwood	<i>Cornus alternifolia</i>	E		PALUSTRINE: creek swamps TERRESTRIAL: slope forest, upland hardwood forest, bluffs
Canada honewort	<i>Cryptotaenia canadensis</i>	E		PALUSTRINE: floodplain forest, bottomland forest RIVERINE: alluvial stream bank
Tropical waxweed	<i>Cuphea aspera</i>		ce	PALUSTRINE: wet prairie, seepage slope TERRESTRIAL: mesic flatwoods
Spoon-leaved sundew	<i>Drosera intermedia</i>	T		LACUSTRINE: sinkhole lake edges PALUSTRINE: seepage slope, wet flatwoods, depression marsh RIVERINE: seepage stream banks, drainage ditches
Wiregrass gentian	<i>Gentiana pennelliana</i>	E	ce	PALUSTRINE: seepage slope, wet prairie, roadside ditches TERRESTRIAL: mesic flatwoods, planted slash pine
Mock pennyroyal	<i>Hedeoma graveolens</i>		ce	TERRESTRIAL: mesic flatwoods, sandhill, scrubby flatwoods, scrub forests
Florida anise	<i>Illicium floridanum</i>	T		PALUSTRINE: floodplain forest, baygall RIVERINE: seepage stream bank TERRESTRIAL: slope forest, seepage slope
Mountain laurel	<i>Kalmia latifolia</i>	T		RIVERINE: seepage stream bank TERRESTRIAL: slope forest, seepage stream banks
Southern red lily	<i>Lilium catesbaei</i>	T		PALUSTRINE: wet prairie, wet flatwoods, seepage slope TERRESTRIAL: mesic flatwoods, seepage slope; usually with grasses
West's flax	<i>Linum westii</i>	E	ce	PALUSTRINE: dome swamp, depression marsh, wet flatwoods, wet prairie, pond margins
Curtiss' loosestrife	<i>Lythrum curtissii</i>	E	ce	PALUSTRINE: wet flatwoods edges, floodplain swamp, seepage slope, dome swamp edges TERRESTRIAL: seepage slope
Hummingbird flower	<i>Macranthera flammea</i>	E		PALUSTRINE: seepage slope, dome swamp edges, floodplain swamps RIVERINE: seepage stream banks TERRESTRIAL: seepage slopes
Pyramid magnolia	<i>Magnolia pyramidata</i>	E		TERRESTRIAL: slope forest

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN LIKELY TO OCCUR IN  
CALHOUN COUNTY FLORIDA

Compiled by U.S. Fish and Wildlife Service, October, 2003

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
West Florida cowlily	<i>Nuphar luteum ssp. ulvaceum</i>		ce	PALUSTRINE: floodplain swamp RIVERINE: seepage stream, blackwater stream, spring-run stream
Giant water-dropwort	<i>Oxypolis filiformis greenmanii</i>	E		PALUSTRINE: dome swamp, wet flatwoods, ditches; in water
Eastern ninebark	<i>Physocarpus opulifolius</i>	E		RIVERINE: seepage stream banks
Apalachicola dragon-head	<i>Physostegia godfreyi</i>		ce	PALUSTRINE: wet flatwoods, wet prairies, seepage slope, roadside ditches
Chapman's butterwort	<i>Pinguicula planifolia</i>	T	ce	PALUSTRINE: wet flatwoods, seepage slopes, bog, dome swamp, ditches; in water
Yellow fringed orchid	<i>Platanthera ciliaris</i>	T		PALUSTRINE: bogs, wet flatwoods TERRESTRIAL: Bluff
Yellow fringeless orchid	<i>Platanthera integra</i>	E	ce	PALUSTRINE: wet prairie, seepage slope TERRESTRIAL: mesic flatwoods
Snowy orchid	<i>Platanthera nivea</i>	T		PALUSTRINE: bogs
Meadowbeauty	<i>Rhexia parviflora</i>	E	ce	PALUSTRINE: dome swamp margin, seepage slope, depression marsh; on slopes; with hypericum
Panhandle meadowbeauty	<i>Rhexia salicifolia</i>		ce	LACUSTRINE: sandhill upland lake, shallow water
Orange azalea	<i>Rhododendron austrinum</i>	E		PALUSTRINE: bottomland forest RIVERINE: seepage stream bank TERRESTRIAL: slope forest, upland mixed forest
White-top pitcher plant	<i>Sarracenia leucophylla</i>	E	ce	PALUSTRINE: wet prairie, seepage slope, baygall edges, ditches
Parrot pitcher plant	<i>Sarracenia psittacina</i>	T		PALUSTRINE: wet flatwoods, wet prairie, seepage slope
Decumbant pitcher plant	<i>Sarracenia purpurea</i>	T		PALUSTRINE: Bogs
Gentian pinkroot	<i>Spigelia gentianoides</i>	E	E	TERRESTRIAL: mixed hardwood forest; rich humus
Silky camellia	<i>Stewartia malacodendron</i>	E		PALUSTRINE: baygall PALUSTRINE: slope forest, upland mixed forest, TERRESTRIAL: slope forest, upland mixed forest; acid soils
Chapman's crownbeard	<i>Verbesina chapmanii</i>	T	ce	PALUSTRINE: seepage slope TERRESTRIAL: mesic flatwoods with wiregrass ( <i>Aristida stricta</i> )
Harper's yellow-eyed grass	<i>Xyris scabrifolia</i>	T	ce	PALUSTRINE: seepage slope, wet prairie, bogs